

# The very short guide to typesetting with $\LaTeX$

Silmaril Consultants  
Textual Therapy Division  
latex.silmaril.ie

July 2009

## What's this all about? What's $\LaTeX$ ?

$\LaTeX$  is a document preparation system for the  $\TeX$  typesetting program. It enables you to produce publication-quality output with great accuracy and consistency.  $\LaTeX$  works on any computer and produces industry-standard PS or PDF documents. It is available both in free (open-source) and commercial implementations.  $\LaTeX$  can be used for any kind of document, but it is especially suited to those with complex structure, repetitive formatting, mathematics<sup>1</sup>, technical stability, and dimensional accuracy.

## Syntax (how to type $\LaTeX$ commands — these are the rules)

- All  $\LaTeX$  commands begin with a backslash.  
**Example:** `\tableofcontents`
- If a command needs text to work with, it goes in curly braces.  
**Example:** `\title{Irisches Tagebuch}\author{Heinrich Böll}`
- If options are used, they go in square brackets first.  
**Example:** `\documentclass[a4paper,11pt]{book}`
- Space after commands *without* braces gets suppressed.  
**Example:** `Copyright \copyright 2009`  $\rightsquigarrow$  Copyright ©2009 ☒  
To prevent this, put empty curly braces after the command.  
**Example:** `Copyright \copyright{} 2009`  $\rightsquigarrow$  Copyright © 2009 ☑
- Curly braces are also used to restrict the scope of effects inside them.  
**Example:** `Some {\tiny little} word`  $\rightsquigarrow$  Some little word

## Creating and typesetting your document

1. Create your document using any suitable plain-text editor with  $\LaTeX$  controls, eg *T<sub>E</sub>Xshop* (Mac), *T<sub>E</sub>XnicCenter* (Win), *Kile* (Linux), *Emacs* (all);
2. Save the file with a name ending in `.tex` (*never* use spaces in filenames!);
3. Use the toolbar buttons or menu items in your editor to typeset and display the document;
4. Make any changes needed in your original document and repeat step 3.

**Note.** This guide shows only a tiny fraction of  $\LaTeX$ 's power. For information, visit the  $\TeX$  Users Group site ([www.tug.org](http://www.tug.org)). For help, see the FAQ ([www.tex.ac.uk/faq](http://www.tex.ac.uk/faq)) and the Usenet newsgroup `comp.text.tex`. For packages, use the Comprehensive  $\TeX$  Archive Network ([www.ctan.org](http://www.ctan.org)). For documentation, use the sources in the *References* [2].

<sup>1</sup>For reasons of space this guide does not cover details of mathematics typesetting.

## Basic document structure

Here's the skeleton of a  $\text{\LaTeX}$  document. These three lines are *compulsory*: your document will not work without them:

```
\documentclass{article}
  your preamble goes here (extra setups, if any)
\begin{document}
  your document text goes here
\end{document}
```

- ☞ The document class name must be one of `book`, `article`, or `report`, or one you have installed yourself (eg `thesis`, `memoir`, etc).
- ☞ There are paper size options `a4paper` (210 mm × 297 mm) and `letterpaper` (8½" × 11") and others (eg `a5paper`).
- ☞ There are base type size options `10pt` (the default), `11pt`, and `12pt`.

## Front matter

The **preamble** is where you specify any extra **packages** ( $\text{\LaTeX}$  plugins) such as typefaces or special formatting requirements, and where you put any changes to standard features.

```
\documentclass[a4paper,11pt]{report}
\usepackage{charter,graphicx}
\setlength{\parindent}{1em}
\begin{document}
\title{your document title}
\author{your name}
\date{date of publication}
\maketitle
\begin{abstract}
  the paragraphs of the abstract go here
\end{abstract}
\tableofcontents
  rest of the document goes here
\end{document}
```

In a typical report or article, the title, author, date, abstract (summary), and table of contents (optional) all go at the start, followed by your text.

Leave a blank line between paragraphs. This does *not* mean you get a blank line typeset, it just means 'start a new paragraph here'.  $\text{\LaTeX}$  will format your text according to the document class and packages you are using.

## Sections and cross-references

Sections get numbered automatically in bold type, and get included in the Table of Contents (if any). Numbering can be turned off selectively. Section heading layout can be modified with the `sectsty`, `titlesec`, and other packages. Use the `babel` package for other languages.

```
(Preamble, titling, and abstract as above)
\tableofcontents
\section{heading of a section}
  text for the section goes here
...as shown in section \ref{blah}.
\subsubsection{heading of a subsection}
  text for the subsection goes here
\section{heading of a new section}
\label{blah}  make up a name for the label
  text for the section goes here
\end{document}
```

For cross-references, use `\label{...}` to label the target and `\ref{...}` and/or `\pageref{...}` to refer to it. Make up the label values:  $\text{\LaTeX}$  will use them to work out the right numbers to print.

**Example:** ...section `\ref{blah}` on p. `\pageref{blah}`.  $\blacktriangleright$  ...section 3 on p.9.

## Typefaces

$\text{\LaTeX}$ 's default typeface is Computer Modern. There is a selection of other typeface packages (use them in your Preamble):

Times	<code>mathptmx</code>	Courier	<code>courier</code>
Palatino	<code>mathpazo</code>	Avant Garde	<code>avant</code>
Bookman	<code>bookman</code>	Helvetica	<code>helvet</code>
Charter	<code>charter</code>	<i>Zapf Chancery</i>	<code>chancery</code>
Utopia	<code>utopia</code>	Pandora	<code>pandora</code>
New Century Schoolbook			<code>newcent</code>

Dozens of others are available, including mathematical and decorative fonts. To switch to a sans-serif type family (eg Helvetica, Avant Garde), use `\sffamily` in your text. To change font for a word or phrase, use these commands (they can be nested—see below):

Italics `\textit{Hello}`  $\rightarrow$  *Hello*  
 Boldface `\textbf{Hello}`  $\rightarrow$  **Hello**  
 Smallcaps `\textsc{Hello}`  $\rightarrow$  HELLO  
 Sans-serif `\textsf{Hello}`  $\rightarrow$  Hello  
 Monospace `\texttt{Hello}`  $\rightarrow$  Hello

**Example:** `\textit{\textbf{\textsf{bold ital sans}}}`  $\rightarrow$  ***bold ital sans***

Font sizing is automatic for titles, headings, and footnotes. There are named step-size commands (in points, relative to the base size):

<code>\normalsize</code>	10	11	12
<code>\tiny</code>	5	6	7
<code>\scriptsize</code>	6	7	8
<code>\footnotesize</code>	7	8	9
<code>\small</code>	9	10	11
<code>\large</code>	11	12	14
<code>\Large</code>	12	14	17
<code>\LARGE</code>	14	17	20
<code>\huge</code>	17	20	24
<code>\Huge</code>	20	24	28

but you can specify an exact size with the `fix-cm` package and the command `\fontsize{pp}{bb}\selectfont` for any point-size (*pp*) on any baseline (*bb*). Group (enclose) the command *and* its applicable text in curly braces to prevent it affecting the rest of the document. For wider line-spacing (eg in theses) use the `setspace` package. You can also use colour with the `xcolor` package and  the `\color{name}` command.

## Lists

There are three basic kinds: **itemized** lists (bulleted); **enumerated** lists (numbered or lettered); and **descriptive** lists (topic-and-

explanation format). Others can be defined or downloaded from CTAN [5].

<code>\begin{itemize}</code> <code>\item 1lb Sugar</code> <code>\item ½pt Cream</code> <code>\item Chocolate</code> <code>\end{itemize}</code>	<code>\begin{enumerate}</code> <code>\item Mix together</code> <code>\item Boil to 112°C</code> <code>\item Stir and cool</code> <code>\end{enumerate}</code>	<code>\begin{description}</code> <code>\item[Fudge] is fun...</code> <code>\item[Broccoli] sucks...</code> <code>\item[Exercise] is good</code> <code>\end{description}</code>
<ul style="list-style-type: none"> <li>• 1lb Sugar</li> <li>• ½pt Cream</li> <li>• Chocolate</li> </ul>	<ol style="list-style-type: none"> <li>1. Mix together</li> <li>2. Boil to 112°C</li> <li>3. Stir and cool</li> </ol>	<p><b>Fudge</b> is fun but not if made too often.</p> <p><b>Broccoli</b> sucks, period.</p> <p><b>Exercise</b> is good for you if taken daily and not to extremes.</p>

You can nest lists inside each other. See packages like `paralist` and `mdwlist` to control list formatting.

## Tables and figures

Formal tables and figures *float* (change position to fill available space) so they may not be printed where you typed them.

```
\begin{table}
\caption{Mean growth rate and intakes
of supplement, milk, and water for 4
diets.}
\label{dietgrowth}\centering
\begin{tabular}{|l|l|r|r|r|}\hline
&Growth&Supplement&Milk&Water\\
&rate&intake&intake&intake\\
&(g/day)&(g/day)&(ml/kg0.75)&(ml/kg0.75)\\
\hline
Lucerna &145&450&10.5&144\\
Sesbania&132&476&9.2&128\\
Leucaena&128&364&8.9&121\\
None &89&0&9.8&108\\
\hline
\end{tabular}
\end{table}
```

Table 2: Mean growth rate and intakes of supplement, milk, and water for four diets (after Sherington, J, undated)

Supplement	Growth rate (g/day)	Supplement intake (g/day)	Milk intake (ml/kg <sup>0.75</sup> )	Water intake (ml/kg <sup>0.75</sup> )
Lucerna	145	450	10.5	144
Sesbania	132	476	9.2	128
Leucaena	128	364	8.9	121
None	89	0	9.8	108


Packages like `longtable` and `array` can help with more complex table formats.

**For help, see the links on the front and back pages. There is a summary of common commands at [www.stdot.org/~winston/latex/latexsheet.pdf](http://www.stdot.org/~winston/latex/latexsheet.pdf) and a comprehensive list at [computing.ee.ethz.ch/soft/latex/green/ltx-2.html](http://computing.ee.ethz.ch/soft/latex/green/ltx-2.html).**

## Tables and Figures, *continued*

```
\begin{figure}
\caption{Swiss and Dutch Mennonite migrations of the 1700s and 1800s}\label{lmig}
\centering (graphics must be in EPS format for standard LATEX; JPG, PNG, or PDF for pdfLATEX)
\includegraphics[width=.8\columnwidth]{menno-a}
\\scriptsize Courtesy of Paul C. Adams, Department of Geography and the
Environment, University of Texas at Austin. \cite{adams}\end{figure}
```

**Figure 1:** *Swiss and Dutch Mennonite migrations of the 1700s and 1800s*



Courtesy of Paul C. Adams, Department of Geography and the Environment, University of Texas at Austin. [1]

## Footnotes, citations, references, and indexes (back matter)

Footnotes are done with a simple command,<sup>2</sup> see below. Citations using BIB<sub>T</sub><sub>E</sub><sub>X</sub> (Patashnik, 1988) are also easy (see [2], §7.4.2) and there are packages for more complex formats for journals and publishers. You can add indexes with the `\index` command and the `makeindex` program.

```
Footnotes are done with a simple command,\footnote{Like this.} see below. Citations
using BIB\TeX{} \citeauthor{oren} are also easy (see \cite[§7.4.2]{flynn} and
there are packages for more complex formats for journals and publishers. You can
add indexes with the \verb'\index' command and the \textsf{makeindex} program.
add the following at the end of your document and create myrefs.bib (see BIBTEX manual [3])
\bibliography{myrefs}\bibliographystyle{apalike}
```

## References

1. Adams, Paul C. *Linguistic Chaos in Montreal*, [www.utexas.edu/depts/grg/adams/chaos.ppt](http://www.utexas.edu/depts/grg/adams/chaos.ppt), 2/59, Oct 2006.
2. Flynn, P. *Formatting Information*, 2005, at [latex.silmaril.ie/formattinginformation/](http://latex.silmaril.ie/formattinginformation/)
3. Patashnik, O. *BIB<sub>T</sub><sub>E</sub><sub>X</sub>ing*, T<sub>E</sub><sub>X</sub> Users Group, 1988 (distributed with all copies of L<sup>A</sup>T<sub>E</sub>X).
4. Sherington, J. example table in 'Informative Presentation of Tables, Graphs and Statistics', 4.2, Statistical Services Centre, University of Reading, [www.reading.ac.uk/ssc/publications/guides/toptgs.html](http://www.reading.ac.uk/ssc/publications/guides/toptgs.html)
5. T<sub>E</sub><sub>X</sub> Users Group, for T<sub>E</sub><sub>X</sub> Live ([www.tug.org/texlive/](http://www.tug.org/texlive/)) and CTAN (Comprehensive T<sub>E</sub><sub>X</sub> Archive Network) for downloads ([www.ctan.org](http://www.ctan.org)).

**Note.** Commercial implementations of T<sub>E</sub><sub>X</sub> with business support are available from Personal T<sub>E</sub><sub>X</sub>, Inc (PCT<sub>E</sub><sub>X</sub>); Blue Sky Research (Textures [Mac]); MacKichan Software, Inc (Scientific Word); Micropress, Inc (V<sub>T</sub><sub>E</sub><sub>X</sub>), TrueT<sub>E</sub><sub>X</sub> Software (TrueT<sub>E</sub><sub>X</sub>), and others.

<sup>2</sup>Like this.